



Spannrolle Lagerprogramm	Typ / Teilung	Zähnezahl	B [mm]	d <sub>K</sub> [mm]	D [mm]	Anzahl Bordscheiben (Lagerscheibe)	d <sub>B</sub> [mm]	max. Riemenbreite [mm]	B <sub>2</sub> [mm]	G	t [mm]	D <sub>1</sub> [mm]	SW [mm]	C dyn. [N]	C stat. [N]	max. Drehzahl n [min- <sub>1</sub> ]
Typ B/E0 mit Exzenter, glatt	-	-	34	-	32	0	-	25	42	M6	10	20	17	7.950	3.920	10.000
Typ B/E0 mit Exzenter, glatt	-	-	40	-	60	0	-	32	50	M12	20	30	27	19.300	13.100	5.000
Typ B/E0 mit Exzenter, glatt	-	-	64	-	60	0	-	50	74	M12	20	30	27	19.300	13.100	5.000
Typ B/E0 mit Exzenter, glatt	-	-	40	-	80	0	-	32	50	M12	20	30	27	19.300	13.100	5.000
Typ B/E0 mit Exzenter, glatt	-	-	64	-	80	0	-	50	74	M12	20	30	27	19.300	13.100	5.000
Typ B/E0 mit Exzenter, glatt	-	-	90	-	80	0	-	75	110	M20	32	45	36	48.000	38.000	5.000
Typ B/E0 mit Exzenter, glatt	-	-	40	-	120	0	-	32	50	M12	20	30	27	19.300	13.100	5.000
Typ B/E0 mit Exzenter, glatt	-	-	64	-	120	0	-	50	74	M12	20	30	27	19.300	13.100	5.000
Typ B/E0 mit Exzenter, glatt	-	-	70	-	120	0	-	50	85	M20	30	45	36	70.500	48.000	5.000
Typ B/E0 mit Exzenter, glatt	-	-	90	-	120	0	-	75	110	M20	32	45	36	48.000	38.000	5.000
Typ B/E0 mit Exzenter, glatt	-	-	40	-	150	0	-	32	50	M12	20	30	27	19.300	13.100	5.000
Typ B/E0 mit Exzenter, glatt	-	-	64	-	150	0	-	50	74	M12	20	30	27	19.300	13.100	5.000
Typ B/E0 mit Exzenter, glatt	-	-	90	-	150	0	-	75	110	M20	32	45	36	48.000	38.000	5.000
Typ B/E2 mit Exzenter, glatt	-	-	34	-	32	2	41,5	25	42	М6	10	20	17	7.950	3.920	10.000
Typ B/E2 mit Exzenter, glatt	-	-	40	-	60	2	71	32	50	M12	20	30	27	19.300	13.100	5.000
Typ B/E2 mit Exzenter, glatt	-	-	64	-	60	2	71	50	74	M12	20	30	27	19.300	13.100	5.000
Typ B/E2 mit Exzenter, glatt	-	-	40	-	80	2	91	32	50	M12	20	30	27	19.300	13.100	5.000
Typ B/E2 mit Exzenter, glatt	-	-	64	-	80	2	91	50	74	M12	20	30	27	19.300	13.100	5.000
Typ B/E2 mit Exzenter, glatt	-	-	90	-	80	2	91	75	110	M20	32	45	36	48.000	38.000	5.000
Typ B/E2 mit Exzenter, glatt	-	-	40	-	120	2	132	32	50	M12	20	30	27	19.300	13.100	5.000
Typ B/E2 mit Exzenter, glatt	-	-	64	-	120	2	132	50	74	M12	20	30	27	19.300	13.100	5.000
Typ B/E2 mit Exzenter, glatt	-	-	70	-	120	2	137	50	85	M20	30	45	36	70.500	48.000	5.000
Typ B/E2 mit Exzenter, glatt	-	-	90	-	120	2	137	75	110	M20	32	45	36	48.000	38.000	5.000

Spannrolle Lagerprogramm	Typ / Teilung	Zähnezahl	B [mm]	d <sub>K</sub> [mm]	D [mm]	AnzahlBordscheiben (Lagerscheibe)	d <sub>B</sub> [mm]	max. Riemenbreite [mm]	B <sub>2</sub> [mm]	G	t [mm]	D <sub>1</sub> [mm]	SW [mm]	C <sub>dyn</sub> . [N]	C stat. [N]	max. Drehzahl n [min- <sub>1</sub> ]
Typ B/E2 mit Exzenter, glatt	-	-	40	-	150	2	162	32	50	M12	20	30	27	19.300	13.100	5.000
Typ B/E2 mit Exzenter, glatt	-	-	64	-	150	2	162	50	74	M12	20	30	27	19.300	13.100	5.000
Typ B/E2 mit Exzenter, glatt	-	-	90	-	150	2	162	75	110	M20	32	45	36	48.000	38.000	5.000